GLENN-COLUSA IRRIGATION DISTRICT

NOTICE OF INTENT TO ADOPT A MITIGATED NEGATIVE DECLARATION FOR THE GRADIENT FACILITY REHABILITATION PROJECT

NOTICE IS HEREBY GIVEN that the Glenn-Colusa Irrigation District (GCID) plans to adopt a mitigated negative declaration for the Gradient Facility Rehabilitation Project (Project). The Project involves bank stabilization and river channel protection along approximately one mile of the Sacramento River between river miles 205 and 206, near Montgomery Island. The work would address bank erosion and a deep scour hole that threatens the continued functionality of the Gradient Facility (GF) and the intake channel fish screen through measures such as spur dikes, rock slope protection and riprap, limited excavation/fill activities, and revegetation, implemented in phases as needed.

GCID has prepared an Initial Study/Mitigated Negative Declaration (IS/MND) and determined that the Project, with mitigation, would not have a significant effect on the environment. The draft IS/MND is available for review from **September 22, 2025, through October 21, 2025,** at https://www.gcid.net/. To request a hard copy, please email ceqapublicomments@gcid.net or call (530) 934-8881.

Written comments will be accepted until **October 21, 2025**. Comments may be submitted electronically to ceqapublicomments@gcid.net or by mail to:

Jeff Sutton, General Manager Glenn-Colusa Irrigation District P.O. Box 150 Willows, CA 95988

The site has been reviewed in accordance with Government Code Section 65962.5 and is not listed as a hazardous waste or materials site.

SEP 2 2 2025 #5

SEAN HOUGHTBY
TEHAMA COUNTY CLERK & DECORDER
BY WWW THE CONTROL OF THE CONTROL